MODERN LINEAR The brand NEW windows line

February 2023

Modern LINEAR – the brand new windows line!



MODERN L NEAR

- BEAUTY AND SIMPLICITY IN DESIGN -

• 74 mm frame depth

- 5 chambers in sash
- 6 chambers in frame





Modern LINEAR – more details



- BEAUTY AND SIMPLICITY IN DESIGN -



3rd CENTRAL GASKET

The third central gasket has a positive effect on the effective blocking of heat flow. It also makes your windows more safer.



90° GLAZING BEAD OPTICS

Simple contours add character. A wide range of glazing beads with a 90° appearance make Modern LINEAR windows a unique design. This minimalist design is a landmark in modern architecture.



ONLY 110 MM HEIGHT

The low bending height of the frame and sash allows large and effective glazing. This increases the amount of light entering the room. Combined with other advantages, we simply achieve the ultimate window beauty!



ONLY 4° SLOPE

Expressive like never before! The 4° rebate alone gives the window a unique timeless simplicity.

Modern LINEAR – the major advantages



Low profile

Minimal window profile -Minimalism in design. Only 110 mm height.



Perfect joinery

New welding technology joins PVC profiles in an unprecedented way, eliminating imperfections.



- BEAUTY AND SIMPLICITY IN DESIGN -



Even more warmth

Warm windows with large glazing, triple gasket and 6-chamber frame.



RealWood®

Not just standard veneer colours. Modern LINEAR looks good in elegant premium colours - RealWood[®].





STV°

The STV[®] static dry glazing technology involves bonding the glass and sash profile using an adhesive tape designed specifically for building windows while still being able to pack the glass as usual.

STV[®] Static dry glazing

Ecology friendly

Our emi

Our shared goal is to reduce CO2 emissions. That includes using recycled materials for the inner core.


RealWood®




Modern LINEAR – window, 1-sided handle balcony door



- BEAUTY AND SIMPLICITY IN DESIGN





Window (7001+7072)

- Height 110 mm
- Frame depth 74 mm
- Uw ≥ 0,90 W/m²K*
- Ug $\ge 0,7 \text{ W/ m}^2\text{K}^*$






* Uw and Ug parameters for a reference window of 1230x1480 mm, triple glazing with a thickness of 36 mm.

Modern LINEAR – renovation window



BEAUTY AND SIMPLICITY IN DESIGN




Renovation window 30 (7023+7072)

Renovation window 60 (7027+7072)



Modern LINEAR – doors/ intermediate doors





External opening way (7001+7084)

Internal opening way (7001+7082)



Modern LINEAR – entry/ intermediate doors with alu treshold








- MAKSYMALNE PIĘKNO. MINIMALNY DESIGN-

entry/ intermediate doors with alu treshold (7082)



Modern LINEAR – entry doors (Gealan option)








- BEAUTY AND SIMPLICITY IN DESIGN

Entry doors (7005 +7088)

Modern LINEAR – available constructions (III 2023)



BEAUTY AND SIMPLICITY IN DESIGN



Modern LINEAR – may be yours!

MODERN L NEAR

BEAUTY AND SIMPLICITY IN DESIGN -



Appreciate if we talk:

Rafał Załupski – Business Developement Manager Poland r.zalupski@ekoplast-group.com Tel. +48 668 638 493

www.ekoplast-group.com/en





Ekoplast

https://www.facebook.com/EkoplastPL www.ekoplast-group.com/en

©2018 Ekoplast. All Rights Reserved.